

LED

e-kitokamura



e-kit

□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

e-kit□□

□□□□□□□□□□□□□□□□



XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

e-kitXXXXXXXXXXXXokamura

XXXXXXXXXXXX



XXXXXXXXXXXX

□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□

e-kit□□

□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

e-kit□□



□ □

□ □

□ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □

e-kit□□□□□□□□okamura

[illegible]



リモコンの電池交換方法

リモコンの電池交換方法

リモコンの電池交換方法

e-kit

リモコンの電池交換方法



リモコンの電池交換方法

リモコンの電池交換方法

リモコン

リモコンの電池交換方法

e-kit

okamura

□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

e-kit□□□□□□□□okamura

□□□□□□□□□□□□□□



電気メーターとスイッチの設置場所

電気メーターは30Aの電圧で動作し、60Aの電圧で動作する

電気メーターは30Aの電圧で動作し、60Aの電圧で動作する

電気メーターは30Aの電圧で動作し、60Aの電圧で動作する

電気メーターは30Aの電圧で動作し、60Aの電圧で動作する
電気メーターは30Aの電圧で動作し、60Aの電圧で動作する

電気メーターは30Aの電圧で動作し、60Aの電圧で動作する
電気メーターは30Aの電圧で動作し、60Aの電圧で動作する

e-kit

電気メーターとスイッチの設置場所



XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

e-kitXXXXXXXXXXXXokamura

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX



e-kit



e-kit

[illegible]

□ □

[illegible]

e-kit

□ □ □ □ □ □ □ □ □ □ □



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

e-kit□□□□□□□□okamura

A white, rectangular electrical outlet is mounted on a light-colored wall. The outlet features two standard two-prong outlets stacked vertically, with a ground slot located between them. The outlet is framed by a white border.

e-kit

□ □ □ □ □ □ □ □ □ □ □ □ □ □

