

□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

e-kit□□□□□□□□□□okamura

□□□□□□□**BS**□□□□□□□□□□

□□□□□□□□□□□□□□BS□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□



e-kit



無線LANの接続方法



無線LANの接続方法


無線LANの接続方法

無線LANの接続方法

無線LANの接続方法

e-kit無線LAN接続キットokamura

無線LANの接続方法



無線LANの接続方法

000000000000000000000000e-kit00000000okamura

e-kit



□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□LED□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□e-kit□□□□□□□□□□okamura

□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□

[illegible][illegible]

□ □

□ □

000000000000000000000000e-kit0000000000okamura

[illegible]



□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

e-kit□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□



□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

e-kit□□□□□□□□okamura

□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□LED□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□e-kit□□□□□□□□□□okamura

□□□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

e-kit□□□□□□□□okamura

A white, rectangular electrical outlet with two three-pronged slots, mounted on a light-colored wall. The outlet is a standard North American design, featuring two vertical slots for the neutral and ground prongs, and a smaller, horizontal slot for the line prong. The outlet is mounted on a light-colored wall, and the image is a close-up shot.

□□□□□□□□□□□□□□□□e-kit□□□□□□□□