

□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□e-kit□□□□□□□□□□□□□□□□□□□□□□0

□□□□□□□□□□□□□□



□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□e-kit□□□□

□□□□□□□□□□□□□□□□□□

by TNGC

Arduino Uno R3

Arduino Uno R3 is a popular microcontroller board based on the ATmega328P.

It features a USB Type-B port, a DC power jack, and a reset button.

It is compatible with the Arduino IDE and can be programmed using C++.

e-kit

Arduino Uno R3

Arduino Uno R3 is a popular microcontroller board based on the ATmega328P.

It features a USB Type-B port, a DC power jack, and a reset button.

LED is a light-emitting diode that can be used for various applications.

It is compatible with the Arduino IDE and can be programmed using C++.

e-kit is a collection of electronic kits for learning and experimentation.

Arduino Uno R3


Arduino Uno R3 is a popular microcontroller board based on the ATmega328P.

It features a USB Type-B port, a DC power jack, and a reset button.

It is compatible with the Arduino IDE and can be programmed using C++.

It is a great choice for beginners and experienced users alike.

□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□0

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

e-kit□□

□□□□□□□□ **BS** □□□□□□□□

BS

BS

BS

□ □

e-kit

□□□□□□□□□□**BS**□□□□□□□□

BS

[illegible]

BS

e-kit□□

[illegible][illegible][illegible]

□ □ □ □ □ □

[illegible]

e-kit☐☐

[illegible]

□ □

□ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

0

□ □ □ □ □ □ □ □ □ □ □ **BS** □ □ □ □ □ □ □ □

BS

[illegible][illegible]

□ □

[illegible]

□ □

[illegible]

□ □

□ □ □ □ □ □ □ □ □

□ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

